

# Installation Instructions

## Enclosed V-Rack Cabinets

Part Number: **EVR3U25, EVR6U25**




Information Support Concepts  
2384 Highway 287 N.  
Suite 208  
Mansfield, TX 76063-9207

800-458-6255 U.S. Only  
Fax (817) 842-9099  
Local (817) 842-9090


[www.serverrackoptions.com](http://www.serverrackoptions.com)

**Tools needed:**

**Screw Driver**




**May also need  
a Power Drill**




***Bolts and wall anchors are not included***

**What is included...**

**1x Hanging Bracket Kit**



**2x Vertical Slide out Rail**



**2x Vertical**

**Mounting Rail**



**1x Cabinet**



**2x Horizontal**


**Mounting Rail**




**24x 10-32x.0.750 Rack Screws**





**12x 10-32x.0.375 Button Screws**




**Step 1: Hanging the cabinet on the Wall. The cabinet must be hung using the appropriate wall mount anchors or fasteners for your wall material. Each cabinet contains four keyhole mounting holes, which are utilized to secure the cabinet to the wall.**



**Step 2: To remove the door, pull the spring loaded hinges to release the door. The door can be reversed and mounted the opposite orientation.**



**Step 3: To move the rails, use a Philips head screw driver to remove the sheet metal screw on each rail. The sheet metal screw can be discarded. The screw is used to secure rail during shipping.**



**Step 4: Use a screwdriver to remove button head screws. Move the rail to the desired location. Use screw driver to fasten rail into place.**

