

# **Vertical Cable Manager with Door RRCM Series**

For use with Open Frame Racks















Vertical cable managers facilitate cable organization for a single or multiple rack installation. The RRCM Series includes a magnetic hinged door that hides cables and improves the esthetics of the installation. The RRCM includes crossbars to support your heavy-duty cable applications.

#### **Features**

- All-steel construction with side and rear cut-outs for cable pass-through.
- Includes cable mounting lances for hook and loop cable organization.
- Mounts to either side of an open-frame rack (includes mounting hardware).
- The attached hinged door opens to one side and secures closed with a magnetic strip.
- Can be used with top wire management accessories below (excludes RRAL Series).
- · Manager body and door are constructed of 16-gauge steel.
- Manager and door finished in textured RAL9005 black powder paint finish.
- TAA-compliant for GSA Schedule purchases.
- · RoHS and REACH compliant.
- · Manufactured in North America.

## Compatibility

- Designed specifically for the DNRR\*HDW but also compatible with:
- DRZ4 Series
- RB-2P Series
- DC4R Series

### **Accessories**

- Vertical Cable Manager Extensions
- Hook and Loop Roll

- Top Wire Management
- Vertical Manager Rack Spacer Bracket

	Overall Dimensions		Mounting Dimensions			Managers	Similar Size	
Part No.	Height	Width	Depth	Height	Rack Units	Door Included	Included	Part No.
RRCM44UD	82.00	6.00	5.00	77.00	44U	Yes	1	RB-VCM44
RRCM48UD	89.00	6.00	5.00	84.00	48U	Yes	1	RB-VCM48
RRCM844UD	82.00	8.00	6.00	77.00	44U	Yes	1	
RRCM848UD	89.00	8.00	6.00	84.00	48U	Yes	1	
RRCM1244UD	82.00	12.00	6.00	77.00	44U	Yes	1	FRCM44U128

77 inch part numbers are also compatible with 78.75 (45U)

## **Estimated Cable Fill Capacities**

		Opening	Recommended Cable Fill (50% Fill Ratio)		Maximum Cable Fill (100% Fill Ratio)	
Part No.	Description	Quantity	Cat 6	Cat 6a	Cat 6	Cat 6a
RRCM44UD	Channel Opening	1	149	103	297	207
	Side Opening	2 x 19 = 38	31	21	61	42
	Rear Pass Through	10	28	19	55	38
RRCM48UD	Channel Opening	1	149	103	297	207
	Side Opening	2 x 21 = 42	31	21	61	42
	Rear Pass Through	11	28	19	55	38
RRCM844UD	Channel Opening	1	226	157	452	314
	Side Opening	2 x 19 = 38	31	21	61	42
	Rear Pass Through	10	28	19	55	38
RRCM848UD	Channel Opening	1	226	157	452	314
	Side Opening	2 x 21 = 42	31	21	61	42
	Rear Pass Through	11	28	19	55	38
RRCM1244UD	Channel Opening	1	341	237	681	473
	Side Opening	2 x 19 = 38	31	21	61	42
	Rear Pass Through	2 x 10 = 20	28	19	55	38

Data subject to change without notice

<sup>© 2022.</sup> Hammond Manufacturing Ltd. All rights reserved.